



GS6 - Lincat Silverlink 600 Electric Counter-top Griddle - Steel Plate - Single Zone - W 600 mm - 3.0 kW

Whether you're cooking eggs, bacon, burgers or vegetables, the versatile Silverlink 600 Electric Griddle won't let you down.

- ✓ Hard wearing 12 mm thick machined steel plate providing even heat distribution and excellent heat retention
- ✓ Removable front drainer drawer which also makes for easy cleaning. Ideal for busy establishments
- ✓ Thermostatically controlled to give accurate temperatures during the cooking process for consistent results
- ✓ The plate is fully welded into the frame to prevent leaks and places where food and carbon can build up

Specifications

Summary

| | |
|-----------------------------|-----------------------------------|
| Brand | Lincat |
| Range | Silverlink 600 |
| Power Type | Electric |
| Unit Type | Counter-top |
| Available in UK Only | No |
| UK Warranty | 2 Years Parts and Labour Warranty |
| Export Warranty | Contact your local dealer |
| GTIN | 5056105100102 |

Power and Performance

| | |
|--|------------|
| Total Power kW | 3.0 |
| Temperature Range °C | 50-250 |
| IP Rating | IP23 |
| Cooking Area (Width x Depth) mm | 562 x 405 |
| Temperature Control | Mechanical |

Key Specifications

| | |
|---------------------------------|--------|
| Number of Heat Zones | 1 |
| Grill Plate Surface Type | Smooth |
| Grill Plate Material | Steel |

Weights and Dimensions

| | |
|----------------------------------|-----|
| Unit Height (External) mm | 330 |
| Unit Width (External) mm | 600 |
| Unit Depth (External) mm | 600 |
| Net Weight Kg | 40 |

Supply Connections

| | |
|---------------------------------------|-------|
| Requires Installation | No |
| Requires Electrical Supply | Yes |
| UK 3 Pin Plug | Yes |
| Requires Hardwiring | No |
| Electrical Supply Rating Watts | 3,000 |
| Single Phase Amps | 13.0 |
| Single Phase Voltage | 230 |

Shipping

| | |
|-------------------------|------|
| Packed Weight Kg | 44 |
| Packed Height cm | 63.5 |
| Packed Width cm | 70 |
| Packed Depth cm | 70 |




Available Accessories

| | |
|-------------|---|
| CC6 | Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 600 mm |
| CN6 | Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 600 mm |
| HC6 | Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 600 mm - 0.5 kW |
| HCL6 | Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 600 mm - 0.5 kW |

Available Accessories

| | |
|-------------|--|
| SB6 | 600 GRIDDLE SPLASHB |
| SLS6 | Lincat Silverlink 600 Free-standing Floor Stand - for units W 600 mm |

Technical Picture





Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500
Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536
Email: export@lincat.co.uk

Opening Hours

Monday – Friday:
8.30am – 5pm