

SILVERLINK 600



DF46 - Lincat Silverlink 600 Electric Counter-top Single Tank Fryer - 2 Baskets - W 450 mm - 6.0 kW

The Silverlink 600 Electric Single Tank Counter Top Fryer delivers 26kg of chips per hour and features a twin basket operation which gives you the flexibility of cooking different foods or loads simultaneously.

- Single tank fryer with twin basket operation giving you the flexibility to cook different foods or loads simultaneously, delivering 26kg of chips per hour
- Front mounted controls for safety
- Hinged elements to give easy access during cleaning
- Cool zone collects cooking debris gives cleaner cooking results and saves money by prolonging the life of the oil
- Thermostatically controlled to give accurate cooking temperatures throughout cooking. Failsafe top temperature cut out ensures safe operation.
- Fully moulded 304 stainless steel tank and heavy duty nickel plated baskets for the most demanding of operations
- Front drain off tap for easy removal of cooking oil

Specifications			
Summary		Power and Performance	
Brand	Lincat	Total Power kW	6.0
Range	Silverlink 600	Temperature Range °C	130-190
Power Type	Electric	IP Rating	IP33
Unit Type	Counter-top	Temperature Control	Mechanical
Available in UK Only	No		
UK Warranty	2 Years Parts and Labour Warranty		
Export Warranty	Contact your local dealer		
GTIN	5056105104629		
Key Specifications		Capacity	
Number of Baskets	2	Product Output per Hour	18kg chips - 12mm [frozen], 26kg chips -
Number of Tanks	1	r roduct Output per riour	12mm[chi
Gravity Filtration	No	Capacity Litres	15.0
Pumped Filtration	No		
Drain Location	Front-mounted		
Weights and Dimensions		Supply Connections	
Unit Height (External) mm	330	Requires Installation	Yes
Unit Width (External) mm	450	Requires Electrical Supply	Yes
Unit Depth (External) mm	632	UK 3 Pin Plug	No
Net Weight Kg	18	Requires Hardwiring	Yes
		Electrical Supply Rating Watts	6,000
		Single Phase Amps	26.0

Shipping Packed Weight Kg 21.7 Packed Height cm 49.5 Packed Width cm 70 Packed Depth cm 55

Single Phase Voltage

Three Phase Amps

Three Phase Voltage

230

400

L1=13.0; L2=13.0; L3=N/A



SILVERLINK 600

Available Accessories

BA96 BASKET SPUN DFSMALL

CC4 Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 450 mm


CN4 Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 450 mm


DC03 DONUT KIT FOR DF46


HC4 Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 450 mm - 0.5 kW
 HCL4 Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 450 mm - 0.5 kW

SLS4 Lincat Silverlink 600 Free-standing Floor Stand - for units W 450 mm

Technical Picture













Lincat Limited

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

A member company of

Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 503250

Email: export@lincat.co.uk

Opening Hours

Monday - Friday:

8.30am - 5pm



Product Code: DF46 Page Number: 3 Print Date: 27/04/2020