

# Grill Stations

The modern, stylish Roband Grill Station is available in six or eight slice size models. The Roband range sets the benchmark for commercial contact grills. The versatile unit rapidly toasts sandwiches, paninis and focaccias, in addition to producing beautifully seared and grilled tender meat, poultry and fish. Featuring elements embedded directly into smooth, high pressure die-cast aluminium plates, the cooking surface produces an even, extremely efficient heat transfer ensuring food is cooked rapidly with even colouration.

The Roband Grill Station truly is a must-have for cafes, takeaways, sandwich shops or anywhere that toasting and / or grilling is required.



## FEATURES

- Six or eight sandwich capacity
- Quality high pressure die-cast aluminium cooking plates with cast-in elements for efficient, directional and effective heat transfer
- Precise thermostat for controlling cooking temperature
- Even temperature distribution across each plate and between the top and bottom plates
- Ability to switch between top and bottom plate operation or bottom plate only operation
- A counter-balanced top plate and an arched handle makes operating the Grill Station easy
- Easy one-handed loading and unloading of food with the top plate capable of staying partially open at an approximate 45° angle
- A load limiter that reduces the resting weight of the top plate on food being grilled or toasted
- Plate spacers are available separately for very thin contents
- High splash guard with top plate always positioned over bottom plate ensuring grease and crumbs fall onto bottom plate
- A front positioned grease collection box collects grease and crumbs and is well-positioned for easy removal and cleaning
- Small counter space requirement due to the elimination of a cumbersome back cable
- Angled control panel for clear visibility of settings
- 5 minute timer with warning bell
- Includes one premium spatula
- Optional ribbed top plate
- Optional non-stick Grill Sheet (PTFE) & Retainer Clip keeps the plates clean, prevents food sticking and is removable, cleanable & replaceable
- Optional side draining grease channel for high volume waste (model RGC6 or RGC8, see page 5)

## Grill Stations

### FEATURES & OPTIONS FOR ALL GRILL STATIONS

Top plate props open for easy access to food

GSA610S pictured

Plate options

Top plate always positioned over bottom plate

High splash guard

Removable grease tray

Top & bottom or bottom only plate selection

Thermostat control

Timer

No cumbersome back cable, reducing counter space required

Smooth plate

Ribbed top plate



#### OPTIONAL REMOVABLE GRILL SHEET (PTFE) WITH RETAINER CLIP

Retainer Clip

Grill Sheet (PTFE)

Grill Station

Grease Box



## Grill Stations


### SPECIFICATIONS

MODEL	SLICES No.	TOP PLATE	POWER watts	CURRENT amps	DIMENSIONS w x d x h (mm)	BOTTOM PLATE DIMENSIONS w x d (mm)
GSA610S	6	SMOOTH	2200	9.6	435 x 490 x 220	375 x 275
GSA610R	6	RIBBED	2200	9.6	435 x 490 x 220	375 x 275
GSA815S	8	SMOOTH	2990	13.0	560 x 490 x 220	500 x 275
GSA815R	8	RIBBED	2990	13.0	560 x 490 x 220	500 x 275

Note: All bottom plates are smooth. Timer does not over-ride or control thermostat.  
Maximum height when top fully open is 580 mm.


### PATTERN PLATES

Premium spatula pictured




### PLATE SPACER

Spacers available in various sizes to suit



RGSPS835 Spacer inside a GSA810S



### REAR STAND



RS630

GSA810S sitting on a rear stand RS830



Showing easy installation on a Grill Station top plate



Showing easy installation on a Grill Station bottom plate



### SIDE DRAINING GREASE CHANNEL



Pan not included.

### ACCESSORIES

Grill Station Models	Sheet Retainer Clip Model Number	Grill Sheet (PTFE) (non-stick) Model Number	Side Draining Grease Channel	Rear Stand	Plate Spacer	Aluminium Grill Pattern Plate
GSA610	RRC6	RPGS605 (5 pack QTY) RPGS610 (10 pack QTY)	RGC6	RS630	RGSPS625, RGSPS635, RGSPS645	RGS6-P1 (a set of 2)
GSA815	RRC8	RPGS805 (5 pack QTY) RPGS810 (10 pack QTY)	RGC8	RS830	RGSPS825, RGSPS835, RGSPS845	RGS8-P1 (a set of 2)

### DIMENSIONS - ALL MODELS

